

Chemocare prescription V1.02

Surname

Protocol

KADCYLA (Trastuzumab Emtansine)

SA (m²)

Height (m)

Weight (kg)

DOB

Patient NO

Local No.

Course Name:

KADCYLA (Trastuzumab Emtansine)

Consultant

Ward

7 Type of line

No. of lumen:

Diagnosis

Carcinoma of Breast

NHS No

Chemocare prescription V1.02

Surname

Protocol

KADCYLA (Trastuzumab Emtansine)

SA (m²)

Height (m)

Weight (kg)

DOB

Patient NO

Local No.

Course Name:

KADCYLA (Trastuzumab Emtansine)

Consultant

Ward

7 Type of line

No. of lumen:

Diagnosis

Carcinoma of Breast

NHS No

Additional Prescribing Notes

Patients must be registered with the CDF before commencing treatment.

MUGA scan required prior to day 1 cycle 1 then every 4 months during treatment.

Dose reduction schedule

First dose reduction	3mg/kg
Second dose reduction	2.4mg/kg

Kadcyla must be administered via a 0.2 micron filter.

The initial dose should be administered over 90mins. Patients should be observed during the infusion and for at least 90mins following the initial infusion.

If the prior infusion was well tolerated subsequent doses may be administered over 30mins. Patients should be observed during the infusion and for at least 30mins after infusion

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Parenteral	1
Date:	Date:	Date:	Date:	Intrathecal	0
			Chart Id.:	Oral	0