

Parenteral Cytotoxic Chart

Chemocare prescription V1.06

Patient Details

Forename

Surname

Protocol

VINOVELBINE FOR BREAST CANCER

SA (m²)

Height (m)

Weight (kg)

DOB

Patient NO

Local No.

Course Name:

Vinorelbine single agent 30mg/m2 MBC.

Consultant

Ward

Type of line

SINGLE LINE

Diagnosis

Carcinoma of Breast

NHS No

No. of lumen:

| Monitoring | Acceptable Range | | Date Due | Date of Test | Value | Checked |
|-------------------|------------------|--------|----------|--------------|-------|---------|
| Height (m) | | | | | | |
| Weight (kg) | | | | | | |
| SA (m²) | | | | | | |
| ALA TRANSAM2.5ULN | 0.00 | 100.00 | Day [1] | | | |
| ALK PHOSPH 5 ULN | 30.00 | 650.00 | Day [1] | | | |
| BILIRUBIN 1.5ULN | 0.00 | 31.50 | Day [1] | | | |
| CREATININE 1.5ULN | 0.00 | 200.00 | Day [1] | | | |
| NEUTROPHILS > 1.5 | 1.50 | 15.00 | Day [1] | | | |
| PLATELETS > 100 | 100.00 | 600.00 | Day [1] | | | |
| ALA TRANSAM2.5ULN | 0.00 | 100.00 | Day [8] | | | |
| ALK PHOSPH 5 ULN | 30.00 | 650.00 | Day [8] | | | |
| BILIRUBIN 1.5ULN | 0.00 | 31.50 | Day [8] | | | |
| CREATININE 1.5ULN | 0.00 | 200.00 | Day [8] | | | |
| NEUTROPHILS > 1.5 | 1.50 | 15.00 | Day [8] | | | |
| PLATELETS > 100 | 100.00 | 600.00 | Day [8] | | | |
| | | | | | | |

Additional Prescribing Notes

Patients previously treated with Doxorubicin appear to develop severe thrombophlebitis post Vinorelbine. Pretreat with Hydrocortisone 100mg IV immediately prior to administration of Vinorelbine.

| Day | Date and Time | Drug and dose (per m2) or dose (per kg) | ACTUAL DOSE | Infusion Fluid and Final Volume | Route | Additives | Time/Infusion Rate | Line | Given/Checked by | Time Start/Stop | Comments |
|-----|---------------|---|-------------|---------------------------------|-------|-----------|--------------------|------|----------------------------------|-----------------|---|
| 1 | T=hrs | FREE FLOWING INFUSION (500ml) | 500 ml | SODIUM CHLORIDE 0.9% | IV | | | | <div></div> <div>Batch No.</div> | <div></div> | |
| 1 | T=hrs | METOCLOPRAMIDE (10mg) | 10 mg | None | PO | | | | <div></div> <div>Batch No.</div> | <div></div> | |
| 1 | T=hrs | VINOVELBINE (30mg/m²) | mg | SODIUM CHLORIDE 0.9% 50 ml | IV | | | | <div></div> <div>Batch No.</div> | <div></div> | Max dose 60mg. Infuse over 5-10 mins & leave free flowing infusion running for 15 mins post dose. Monitor for signs of extravasation. |

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Parenteral

Intrathecal

Oral

2

0

1

Date:

Date:

Date:

Date:

Chart Id.:

Parenteral Cytotoxic Chart

Chemocare prescription V1.06

Patient Details

Forename

Surname

Protocol

VINOURELBINE FOR BREAST CANCER

DOB

Patient NO

Local No.

Course Name:

Vinorelbine single agent 30mg/m2 MBC.

NHS No

Ward

SA (m²)
Height (m)
Weight (kg)

| Day | Date and Time | Drug and dose (per m2) or dose (per kg) | ACTUAL DOSE | Infusion Fluid and Final Volume | Route | Additives | Time/Infusion Rate | Line | Given/Checked by | Time Start/Stop | Comments |
|-----|---------------|---|-------------|---------------------------------|-------|-----------|--------------------|------|----------------------------------|-----------------|---|
| 8 | T=hrs | FREE FLOWING INFUSION (500ml) | 500 ml | SODIUM CHLORIDE 0.9% | IV | | | | <div></div> <div>Batch No.</div> | <div></div> | |
| 8 | T=hrs | METOCLOPRAMIDE (10mg) | 10 mg | None | PO | | | | <div></div> <div>Batch No.</div> | <div></div> | |
| 8 | T=hrs | VINOURELBINE (30mg/m²) | mg | SODIUM CHLORIDE 0.9% 50 ml | IV | | | | <div></div> <div>Batch No.</div> | <div></div> | Max dose 60mg. Infuse over 5-10 mins & leave free flowing infusion running for 15 mins post dose. Monitor for signs of extravasation. |

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

Patient Details

| | | | | | | | | | | | | | | |
|------------|------------|-----------|-------------|---------------------------------------|---------------------|--|--|--|--|------------|-------------|--|--|--|
| Forename | Surname | | Protocol | VINORELBINE FOR BREAST CANCER | | | | | | SA (m²) | | | | |
| | | | Course Name | Vinorelbine single agent 30mg/m2 MBC. | | | | | | Height (m) | | | | |
| DOB | Patient NO | Local No. | | NHS No | | | | | | | Weight (kg) | | | |
| | | | | | | | | | | | | | | |
| Consultant | | Ward | | Diagnosis | Carcinoma of Breast | | | | | | | | | |
| Address | | | | | | | | | | | | | | |

Record drug allergies or sensitivities

| | | | | | | | | | | | | | | | | | | |
|--------------------|---|----------------|-----|------|------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | Time | Date | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | |
| Drug & dose | METOCLOPRAMIDE | | | | | | | | | | | | | | | | | |
| Actual dose | 10 mg | Duration | PRN | | | | | | | | | | | | | | | |
| Route | PO | Start Date | | | | | | | | | | | | | | | | |
| Frequency | TDS | Start Day | 1 | | | | | | | | | | | | | | | |
| Quantity Dispensed | | Dispensed by | | | | | | | | | | | | | | | | |
| | | Accuracy check | | | | | | | | | | | | | | | | |
| Note | If pre-pack supplied record Batch Number : _____. | | | | | | | | | | | | | | | | | |
| Drug & dose | METOCLOPRAMIDE | | | | | | | | | | | | | | | | | |
| Actual dose | 10 mg | Duration | PRN | | | | | | | | | | | | | | | |
| Route | PO | Start Date | | | | | | | | | | | | | | | | |
| Frequency | TDS | Start Day | 8 | | | | | | | | | | | | | | | |
| Quantity Dispensed | | Dispensed by | | | | | | | | | | | | | | | | |
| | | Accuracy check | | | | | | | | | | | | | | | | |
| Note | If pre-pack supplied record Batch Number : _____. | | | | | | | | | | | | | | | | | |

| | | | | |
|---------------|---------------|----------------|--------------------------|------------|
| Allocated by: | Confirmed by: | Authorised by: | Checked by: (Pharmacist) | Chart Id.: |
| Date: | Date: | Date: | Date: | |