

Patient Details

Forename

Surname

Protocol

BORTEZOMIB + PANOBINOSTAT

Page:1 of 10

SA (m²)

Height (m)

Weight (kg)

DOB

Patient NO

Local No.

Course Name:

Bortezomib+Dexamethasone+Panobinostat cycles 1-8

Consultant

Ward

7 Type of line

Diagnosis

Myeloma

NHS No

[illegible]

Additional Prescribing Notes

Please prescribe supportive/preventative care either on Chemocare or on a separate paper prescription, as per local trust policy and guidance.

1) Consider stress ulcer PPI prophylaxis i.e.

lansoprazole.

2) Consider allopurinol 300mg OD (100mg OD if CrCl <20mls/min) for first 4 weeks of treatment only.

Panobinostat

Panobinostat may increase the QTc interval. Record ECG prior to start of each treatment cycle. The dose should be omitted if QTc is ≥ 480 msec or above 60 msec from baseline.

Bortezomib

Pharmacy will begin preparation when ward staff notify them of patients arrival and suitability for treatment.

Encourage patient to take Day 1, 4, 8 and 11, Dexamethasone on morning of (or at least one hour prior to) bortezomib treatment.

Inject into thigh or abdomen

Injection site should be rotated, new injections should be given at least 2.5cm from previous site

A 25 gauge needle is recommended. This needle should not be purged of air prior to injection being administered.

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
Allocated by:			Confirmed by:		Authorised by:		Checked by: (Pharmacist)			<div>Parenteral 3</div> <div>Intrathecal 0</div> <div>Oral 7</div>	
Date:			Date:		Date:		Date:			Chart Id.:	
/ /			/ /		/ /		/ /				

Parenteral Cytotoxic Chart

Chemocare version 1.05

Page:2 of 10

Patient Details

Forename

Surname

Protocol

BORTEZOMIB + PANOBINOSTAT

DOB

Patient NO

Local No.

Course Name:

Bortezomib+Dexamethasone+Panobinostat cycles 1-8

SA (m²)

Height (m)

Weight (kg)

NHS No

Ward

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
1	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
1	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
4	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
4	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
8	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
8	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
11	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

Parenteral Cytotoxic Chart

Chemocare version 1.05

Patient Details

Forename

Surname

Protocol

DOB

Patient NO

Local No.

NHS No

Ward

Course Name:

Protocol

Course Name:

SA (m²)
Height (m)
Weight (kg)

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
11	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

Patient Details

Forename	Surname		Protocol	BORTEZOMIB + PANOBINOSTAT					SA (m²)				
			Course Name	Bortezomib+Dexamethasone+Panobinostat cycles 1-8					Height (m)				
DOB	Patient NO		Local No.		NHS No					Weight (kg)			
Consultant			Ward		Diagnosis		Myeloma						
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	DEXAMETHASONE																	
Actual dose			Duration	2 DAYS														
Route	PO		Start Date															
Frequency	OD		Start Day	1														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken in the MORNING on days 1 and 2. Supply and label days 1-2, 4-5, 8-9 & 11-12 together in a single container.																	
Drug & dose	PANOBINOSTAT																	
Actual dose	20 mg		Duration	1 DAY														
Route	PO		Start Date															
Frequency	OD		Start Day	1														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken ONCE a DAY on day 1. Supply and label days 1,3,5,8,10 & 12 together in a single container.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	BORTEZOMIB + PANOBINOSTAT						SA (m²)			
			Course Name	Bortezomib+Dexamethasone+Panobinostat cycles 1-8						Height (m)			
DOB	Patient NO	Local No.		NHS No							Weight (kg)		
		Ward											
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	ACICLOVIR																	
Actual dose	200 mg		Duration	21 DAYS														
Route	PO		Start Date															
Frequency	TDS		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	This is continuous treatment supply original packs. If pre-pack supplied record Batch Number : _____.																	
Drug & dose	METOCLOPRAMIDE																	
Actual dose	10 mg		Duration	PRN														
Route	PO		Start Date															
Frequency	TDS		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Discuss with patient and delete if supply not required. If pre-pack supplied record Batch Number : _____.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	BORTEZOMIB + PANOBINOSTAT						SA (m²)				
			Course Name	Bortezomib+Dexamethasone+Panobinostat cycles 1-8 (8)						Height (m)				
DOB	Patient NO		Local No.		NHS No						Weight (kg)			
			Ward											
Address														

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	LOPERAMIDE																	
Actual dose	2 mg		Duration															
Route	PO		Start Date															
Frequency	SEE NOTE		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	Take 4mg after first loose stool then 2mg after each loose stool thereafter upto a maximum of 8 cap/tabs in 24 hours. If pre-pack supplied record Batch Number : _____.																	
Drug & dose	PANOBINOSTAT																	
Actual dose	20 mg		Duration	1 DAY														
Route	PO		Start Date															
Frequency	OD		Start Day	3														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	To be taken ONCE a DAY on day 3. Supply issued on Day 1.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	BORTEZOMIB + PANOBINOSTAT					SA (m²)						
			Course Name	Bortezomib+Dexamethasone+Panobinostat cycles 1-8					Height (m)						
DOB	Patient NO		Local No.		NHS No							Weight (kg)			
			Ward												
Address															

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	DEXAMETHASONE																	
Actual dose			Duration	2 DAYS														
Route	PO		Start Date															
Frequency	DAILY		Start Day	4														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken in the MORNING on days 4 and 5. Supply issued on Day 1.																	
Drug & dose	PANOBINOSTAT																	
Actual dose	20 mg		Duration	1 DAY														
Route	PO		Start Date															
Frequency	OD		Start Day	5														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken ONCE a DAY on day 5. Supply issued on Day 1.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	BORTEZOMIB + PANOBINOSTAT					SA (m²)						
			Course Name	Bortezomib+Dexamethasone+Panobinostat cycles 1-8					Height (m)						
DOB	Patient NO		Local No.		NHS No							Weight (kg)			
			Ward												
Address															

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	DEXAMETHASONE																	
Actual dose			Duration	2 DAYS														
Route	PO		Start Date															
Frequency	DAILY		Start Day	8														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken in the MORNING on days 8 and 9. Supply issued on Day 1.																	
Drug & dose	PANOBINOSTAT																	
Actual dose	20 mg		Duration	1 DAY														
Route	PO		Start Date															
Frequency	OD		Start Day	8														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken ONCE a DAY on day 8. Supply issued on Day 1.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	BORTEZOMIB + PANOBINOSTAT					SA (m²)				
			Course Name	Bortezomib+Dexamethasone+Panobinostat cycles 1-8					Height (m)				
DOB	Patient NO		Local No.		NHS No							Weight (kg)	
			Ward										
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	PANOBINOSTAT																	
Actual dose	20 mg		Duration	1 DAY														
Route	PO		Start Date															
Frequency	OD		Start Day	10														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken ONCE a DAY on day 10. Supply issued on Day 1.																	
Drug & dose	DEXAMETHASONE																	
Actual dose			Duration	2 DAYS														
Route	PO		Start Date															
Frequency	DAILY		Start Day	11														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	To be taken in the MORNING on days 11 and 12. Supply issued on Day 1.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	BORTEZOMIB + PANOBINOSTAT					SA (m²)		
			Course Name	Bortezomib+Dexamethasone+Panobinostat cycles 1-8					Height (m)		
DOB	Patient NO	Local No.		NHS No						Weight (kg)	
		Ward									
Address											

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	PANOBINOSTAT																	
Actual dose	20 mg	Duration	1 DAY															
Route	PO	Start Date																
Frequency	OD	Start Day	12															
Quantity Dispensed	Dispensed by																	
	Accuracy check																	
Note	To be taken ONCE a DAY on day 12. Supply issued on Day 1.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	