

# Parenteral Cytotoxic Chart

Chemocare Version 1.02

Page:1 of 5

## Patient Details

Forename  
A

Surname  
Test

Protocol  
VMP

DOB

Patient NO

Local No.

Course Name:  
VMP (Bortezomib, Melphalan + Prednisolone) C1-4

Consultant

Ward

Type of line  
SINGLE LINE

No. of lumen:

Diagnosis  
Myeloma

SA (m²)  
Height (m)  
Weight (kg)

NHS No

Monitoring	Acceptable Range		Date Due	Date of Test	Value	Checked
Height (m)						
Weight (kg)						
SA (m²)						
BILIRUBIN 1.5ULN	0.00	31.50	Day [1]			
Cockcroft >20mls/min	20.00	300.00	Day [1]			
NEUTROPHILS > 1.0	1.00	15.00	Day [1]			
PLATELETS> 70	70.00	600.00	Day [1]			

**Additional Prescribing Notes**

Please prescribe supportive/preventative care either on Chemocare or on a separate paper prescription, as per local trust policy and guidance.

1) Consider stress ulcer PPI prophylaxis i.e. lansoprazole

2) Consider allopurinol 300mg OD (100mg OD if CrCl <20mls/min) for first 4 weeks of treatment only.

**BORTEZOMIB**  
Inject into thigh or abdomen  
Injection site should be rotated, new injections should be given at least 2.5cm from previous site  
A 25 gauge needle is recommended. This needle should not be purged of air prior to injection being administered.

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
1	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div> <div>Batch No.</div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
1	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div> <div>Batch No.</div>	See additional prescribing note
4	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div> <div>Batch No.</div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib

Allocated by:  
  
Date:

Confirmed by:  
  
Date: / /

Authorised by:  
  
Date: / /

Checked by: (Pharmacist)  
  
Date: / /

Chart Id.:

Parenteral  
Intrathecal  
Oral

3  
0  
2

# Parenteral Cytotoxic Chart

Chemocare Version 1.02

## Patient Details

Forename

Surname

Protocol

VMP

DOB

Patient NO

Local No.

Course Name:

VMP (Bortezomib, Melphalan + Prednisolone) C1-4 (10)

NHS No

Ward

SA (m²)

Height (m)

Weight (kg)

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
4	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
8	T=:hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
8	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
11	T=:hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
11	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
22	T=:hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
22	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note

Allocated by:

Confirmed by:

Authorised by:

Checked by: (Pharmacist)

Date:

Date:

Date:

Date:

Chart Id.:

# Parenteral Cytotoxic Chart

Chemocare Version 1.02

Page:3 of 5

## Patient Details

ForenameSurnameProtocolVMP

DOBPatient NOLocal No.Course Name:VMP (Bortezomib, Melphalan + Prednisolone) C1-4

Ward

NHS No

SA (m²)  
Height (m)  
Weight (kg)

Day	Date and Time	Drug and dose (per m2) or dose (per kg)	ACTUAL DOSE	Infusion Fluid and Final Volume	Route	Additives	Time/Infusion Rate	Line	Given/ Checked by	Time Start/ Stop	Comments
25	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
25	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
29	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
29	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note
32	T=hrs	METOCLOPRAMIDE (10mg)	10 mg	None	PO				<div></div> <div>Batch No.</div>	<div></div>	Only to be used in patients with previous breakthrough N +/-or V. Administered at least 30 minutes prior to bortezomib
32	T=:hrs	BORTEZOMIB (1.3mg/m²)	mg	None	SC		Slow Bolus		<div></div> <div>Batch No.</div>	<div></div>	See additional prescribing note

Allocated by:Confirmed by:Authorised by:Checked by: (Pharmacist)

Date:Date:Date:Date:Chart Id.:

/ /

Patient Details

Forename	Surname		Protocol	VMP					SA (m²)				
			Course Name	VMP (Bortezomib, Melphalan + Prednisolone) C1-4					Height (m)				
DOB	Patient NO		Local No.		NHS No							Weight (kg)	
Consultant			Ward		Diagnosis		Myeloma						
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	PREDNISOLONE																	
Actual dose			Duration	4 DAYS														
Route	PO		Start Date															
Frequency	OD		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	To be taken EACH MORNING on days 1 to 4. Supply and label in a single container.																	
Drug & dose	MELPHALAN																	
Actual dose			Duration	4 DAYS														
Route	PO		Start Date															
Frequency	OD		Start Day	1														
Quantity Dispensed		Dispensed by																
		Accuracy check																
Note	To be taken ONCE a DAY on days 1 to 4.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	

Patient Details

Forename	Surname		Protocol	VMP					SA (m²)				
			Course Name	VMP (Bortezomib, Melphalan + Prednisolone) C1-4					Height (m)				
DOB	Patient NO		Local No.		NHS No							Weight (kg)	
			Ward										
Address													

Record drug allergies or sensitivities

				Time	Date													
Drug & dose	ACICLOVIR																	
Actual dose	200 mg		Duration	42 DAYS														
Route	PO		Start Date															
Frequency	TDS		Start Day	1														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	This is continuous treatment supply original packs. If pre-pack supplied record Batch Number : _____.																	
Drug & dose	METOCLOPRAMIDE																	
Actual dose	10 mg		Duration	PRN														
Route	PO		Start Date															
Frequency	TDS		Start Day	1														
Quantity Dispensed			Dispensed by															
			Accuracy check															
Note	Metoclopramide 10mg tablets are prescribed with each cycle, discuss with patient and delete if supply not required. If pre-pack supplied record Batch Number : _____.																	

Allocated by:	Confirmed by:	Authorised by:	Checked by: (Pharmacist)	Chart Id.:
Date:	Date:	Date:	Date:	
/ /	/ /	/ /	/ /	